	And the stage of t	k		PROBLEM CONTROL & CONTROL OF THE PROPERTY OF	marantasiyay is	1 ···
i a company	Conitional Approximation	OCHERNI	Acia-RDP83			!
, ·	Sanitized - Approve	ACHLITA TOTAL	25Y1A2g		1-5	100 014 -01-100
MTERIOTAL 21	\$P	- asarith Intoll	nation 1729	CON NO.	***	
4 (1) € Ber 2.				CERTIO.		
	AV	ALE AND ADD TO THE PARTY.		DASTAL		
	C O	NPIDEN	TIAL	OCINO.		
			•	11	LARMY	
				BAVY	AIR	ĺ
				1.924.1		
			NIAGAI	A FALLS NO	44.23	1
T	at way					
FY	immases/Water Supply					
		Ī			· 10574	
					Va 20 19	153
		25X1A6a			19 may 19	
			•		•	
	Ave-Oct 57					
	26 - A.			- A	3.	James N.
						\times_{α}
			terminal and the second		, in the second	
					L.	
						A Secretary of the Secr
25	5X1X6					
	7.4.1.4.0					X1A9a
					rin /	
*2 . 40	broughout most of Turks	w. malawi@5	man lant former.	and tuberou	lorde am	
٧	ery common. While in I	stanbul.	8 Sur	vey had been	taken of a	
b	utter for sale in the c	sity, and it	es found thet	40% of the s	emples test	
	contained brucellosse ex 5X1X	iltures.	•		the second	
2.		not drin	the regular o	ity water in	Ankara or	
	stanbul, so bought bo	stiled drinki:	w water during	my entire a	tav in Turb	
25X1X 🗝	vidently the city water	supplies co	stain germe or	bacteria to	which the	
	atives have built up in					2'
	he bettor resteurants : Westerner" who v isits /					1.000
25X1X #	bout three days.	not know whe	conses it, or	d it seems t	o develop in	•
	maken as distribute the autom	some served former	Moreon with these to		tionally many department	
ŧ.	ry yoghurt as a resedy,	end ves b	oth surprised s	nd pleased t	o find it 25)	X1X
	ery affective.				20,	(1)(
		~ 46	ni -			
			This unevaluated inf	ormation for HS A	fficials	
			umy is supplied for	the nossible inter	roet of	
			your analysis, it do	es not warrant di	ssemi-	
		,,50	nation by		~~******	
	3 V .	e អាក្	257	 1A2g		
	11.11	ac g mo	25/	IAZY		
	ar Jackson					

